



## Moving to a value based system



But what do patients get?

## The promise of outcomes measurement for patients





# Martini Klinik - better care through an outcomes focus

## Background



### Martini Klinik with focus on outcomes that matters to patients

- Focus on outcomes beyond mortality
- Frequent surgeon conferences where outcomes per surgeon are compared
- Sharing of best practice
  - Attracting high volumes of patients

Radical prostatectomies/year



# Partners Healthcare – Know what is coming



## Mayo Clinic – Identify the issue to focus the conversation

### Key Facts

**Condition** | Depression & Anxiety  
**Number of patients** | 2000  
**Profile** | Tertiary care psychiatry  
**PROMs in Use** | ICHOM D&A Standard Set

*“To make a good decision, you need an expert in the facts (e.g. a health practitioner) and an expert on which features matter most (e.g. the patient) and a way to share their views with each other in ways they prefer.”*

The screenshot displays a patient's medical record in a web portal. At the top, patient information includes a profile picture, name, date of birth (November 9th 1956), age (59 years old), gender (Male), and balance due (\$0.00). A 'Start/Open..' button is visible. Below this, the 'PRESENTING ISSUE' is 'Unspecified issue', created on Aug 8th 2016. The 'Qnaires' section shows a 'Psych RTNV Assessment-NIAZI' from 8th Aug 2016. The 'History' section contains a detailed note about a psychiatric review and medication reconciliation. On the right, the 'PHQ-9 SCREENER' is displayed with 12 items, each with a rating and a 'Sign' button. The ratings are: 5. Little interest or pleasure in doing things (More than half the days before, Several days); 6. Feeling down, depressed or hopeless (More than half the days before, Not at all); 7. Trouble falling or staying asleep, or sleeping too much (Not at all before, More than half the days); 8. Feeling tired or having little energy (Nearly every day before, Several days); 9. Poor appetite or over eating (Not at all before, Not at all); 10. Feeling bad about yourself - or that you are a failure or have let yourself or your family down (More than half the days before, Not at all); 11. Trouble concentrating on things, such as reading the newspaper or watching television (Not at all before, Not at all); 12. Moving or speaking so slowly that other people (Not at all before, Several days). A 'Save' button and a 'SIGN' button are at the bottom left. A message 'Your changes have been saved.' with a green checkmark is at the bottom right.

Item	Description	Rating	Sign
5	Little interest or pleasure in doing things	More than half the days before Several days	Sign
6	Feeling down, depressed or hopeless	More than half the days before Not at all	Sign
7	Trouble falling or staying asleep, or sleeping too much	Not at all before More than half the days	Sign
8	Feeling tired or having little energy	Nearly every day before Several days	Sign
9	Poor appetite or over eating	Not at all before Not at all	Sign
10	Feeling bad about yourself - or that you are a failure or have let yourself or your family down	More than half the days before Not at all	Sign
11	Trouble concentrating on things, such as reading the newspaper or watching television	Not at all before Not at all	Sign
12	Moving or speaking so slowly that other people	Not at all before Several days	Sign